# Northeast Preliminary Fisheries Statistics

Multispecies (May 1999 - January 2000) & Scallop (March 1999 - January 2000)

Fishery Statistics Office Northeast Regional Office National Marine Fisheries Service Gloucester, MA 01930

July 2000

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer weighout and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

Note: 1) Data of selected species are reported in detail (see table of contents).

2) Data for Silver Hake and Monkfish are added and reported in Tables 9.A, 9.B, 10.A and 10.B.

### TABLE 1.A - PRELIMINARY COD LANDINGS BY STOCK AREA

									4000//	2000*	4000/4	000*	
									1999/2		1998/1		FIGURE VE AD+
	NOV	4000	550	4000		0000	MAY 4000		MAY 99-JAN 00		MAY 98-JAN 99		FISHING YEAR*
		- 1999		1999	JAN -		MAY 1999		AS A % OF	TARGET TAC		TARGET TAC	
				PERCENT		PERCENT			TARGET TAC		TARGET TAC	(1000 LBS)	1000 LBS
GULF OF MAINE	122	15%	209	17%	556	41%	2,090	14%	121%	1,724	151%	3,931	
OTTER TRAWL	56	7%	107	9%	365	27%	1,105	8%	64%		82%		
GILLNET	45	6%	71	6%	126	9%	768	5%	45%		61%		
HOOK	3	0%	8	1%	26	2%	72	0%	4%		4%		
OTHER GEARS	18	2%	23	2%	40	3%	145	1%	8%		5%		
GEORGES BANK	670	85%	1,022	83%	797	59%	12,499	86%	106%	11,804	108%	10,362	
OTTER TRAWL	448	57%	590	48%	354	26%	7,036	48%	60%		59%		
GILLNET	66	8%	76	6%	127	9%	2,425	17%	21%		16%		
HOOK	94	12%	237	19%	215	16%	2,223	15%	19%		24%		
OTHER GEARS	62	8%	119	10%	102	8%	814	6%	7%		9%		
ALL AREAS	793	100%	1,231	100%	1,353	100%	14,589	100%	108%	13,528	120%	14,293	
OTTER TRAWL	504	64%	697	57%	719	53%	8,141	56%	60%		65%		
GILLNET	112	14%	147	12%	252	19%	3,193	22%	24%		28%		
HOOK	97	12%	245	20%	240	18%	2,296	16%	17%		18%		
OTHER GEARS	80	10%	142	12%	141	10%	959	7%	7%		8%		
LANDINGS - ALL AREAS													
FISHING YEAR 1999/2000	793		1,231		1,353		14,589						-
FISHING YEAR 1998/1999	1,295		2,088		1,510		17,115						23,673
FISHING YEAR 1997/1998	1,492		1,944		1,694		21,629						28,840
FISHING YEAR 1996/1997	1,785		1,744		1,294		24,570						31,961

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Cod Stock Areas:

Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-637

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January 1999 - January 2000 period.

4. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

TABLE 1.B - PRELIMINARY COD LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

			STOCK	( AREAS				G	EAR TY	/PES			
	MAY 99-JAN 00	GULF C	)F	GEORGE	S	OTTER						OTHER	
		MAINE	<b>.</b>	BANK		TRAWL		GILLNET	•	ноок		GEARS	
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	908	336	37%	572	63%	745	82%	92	10%	7	1%	65	7%
GLOUCESTER,MA	2,674	871	33%	1,802	67%	1,630	61%	484	18%	480	18%	79	3%
BOSTON,MA	989	27	3%	962	97%	977	99%	0	0%	0	0%	11	1%
NEW BEDFORD,MA	3,764	20	1%	3,744	99%	3,754	100%	0	0%	0	0%	10	0%
PT JUDITH, RI	179	0	0%	179	100%	150	84%	1	1%	0	0%	27	15%
MAINE	1,017	432	42%	585	58%	822	81%	117	11%	11	1%	68	7%
NEW HAMPSHIRE	275	235	85%	40	15%	74	27%	197	71%	1	0%	4	1%
MASSACHUSETTS	12,844	1,423	11%	11,422	89%	6,873	54%	2,858	22%	2,284	18%	830	6%
RHODE ISLAND	370	0	0%	370	100%	320	86%	22	6%	0	0%	28	8%
CONNECTICUT	38	0	0%	38	100%	38	99%	0	1%	0	0%	0	1%
NEW YORK	44	0	0%	44	100%	15	35%	0	0%	0	0%	29	65%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	14,589	2,090	14%	12,499	86%	8,141	56%	3,193	22%	2,296	16%	959	7%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod Stock Areas: Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-637

2. State landings for Connecticut are estimated for the May 1999 - January 2000 period.

3. Landings in live weight.

# TABLE 2.A - PRELIMINARY HADDOCK LANDINGS BY STOCK AREA

									1999/2	000*	1998/1	999*	
									MAY 99-JAN 00		MAY 98-JAN 99		FISHING YEAR
	NOV	- 1999	DEC	- 1999	JAN	- 2000	MAY 1999-	JAN 2000	AS A % OF	TARGET TAC	AS A % OF	TARGET TAC	LANDINGS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	TARGET TAC	(1000 LBS)	TARGET TAC	(1000 LBS)	1000 LBS
GULF OF MAINE	150	45%	66	9%	118	22%	813	14%					
OTTER TRAWL	83	25%	54	7%	107	20%	616	11%					
GILLNET	51	15%	10	1%	10	2%	156	3%					
HOOK	1	0%	1	- , -	0	0%	19	0%					
OTHER GEARS	15	4%	0	0%	0	0%	22	0%					
GEORGES BANK	183	55%	680	91%	426	78%	4,796	85%	39%	12,346	29%	10.576	
OTTER TRAWL	182	55%	676	91%	413	76%	4,517	80%	37%		27%	10,570	
GILLNET	0	0%	1	0%	10	2%	188	3%			1%		
HOOK	1	0%	3		1	0%	59	1%			1%		
OTHER GEARS	0	0%	0	0%	1	0%	31	1%	0%		0%		
SNE/MID-ATLANTIC	0	0%	0	0%	0	0%	43	1%					
OTTER TRAWL	0	0%	0	0%	0	0%	43	1%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
ALL AREAS	333	100%	745	100%	544	100%	5,652	100%					
OTTER TRAWL	265	80%	730	98%	521	96%	5,176	92%					
GILLNET	51	15%	11	2%	20	4%	344	6%					
HOOK	2	1%	4	1%	2	0%	78	1%					
OTHER GEARS	15	4%	0	0%	2	0%	54	1%					
LANDINGS - ALL AREAS	222		745		F44		F 050						
FISHING YEAR 1999/2000 FISHING YEAR 1998/1999	333 378		745 557		544 703		5,652						- 5 006
FISHING YEAR 1998/1999 FISHING YEAR 1997/1998	378 397				703 548		4,920						5,996
FISHING YEAR 1997/1998 FISHING YEAR 1996/1997	397 128		379 135		134		3,321 1.156						4,799 1.542

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Haddock stock Areas:

Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January 1999 - January 2000 period.

4. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

TABLE 2.B - PRELIMINARY HADDOCK LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

				STOCK	AREAS	6					GEA	R TYPES			
	MAY 99-JAN 00	GULF O		GEORGE: BANK	S	MID- ATLANTIC		OTTER TRAWL		GILLNET		ноок			HER ARS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,420	577	41%	843	59%	0	0%	1,376	97%	28	2%	7	0%	9	1%
GLOUCESTER,MA	1,717	150	9%	1,539	90%	28	2%	1,588	92%	104	6%	24	1%	1	0%
BOSTON,MA	801	14	2%	782	98%	6	1%	765	95%	0	0%	0	0%	36	5%
NEW BEDFORD,MA	1,156	2	0%	1,154	100%	0	0%	1,156	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	78	0	0%	78	100%	0	0%	78	100%	0	0%	0	0%	0	0%
MAINE	1,434	589	41%	845	59%	0	0%	1,388	97%	30	2%	7	0%	9	1%
NEW HAMPSHIRE	60	43	71%	17	29%	0	0%	2	3%	58	96%	0	0%	0	0%
MASSACHUSETTS	3,922	181	5%	3,707	95%	34	1%	3,554	91%	255	7%	72	2%	41	1%
RHODE ISLAND	194	0	0%	194	100%	0	0%	194	100%	0	0%	0	0%	0	0%
CONNECTICUT	29	0	0%	29	100%	0	0%	29	100%	0	0%	0	0%	0	0%
NEW YORK	13	0	0%	4	31%	9	69%	9	69%	0	0%	0	0%	4	31%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	5,652	813	14%	4,796	85%	43	1%	5,176	92%	344	6%	78	1%	54	1%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock Areas: Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.

Southern New England / Mid-Atlantic: 611-639

2. State landings for Connecticut are estimated for the May 1999 - January 2000 period.

3. Landings in live weight.

### TABLE 3.A - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY STOCK AREA

									1999/	2000*	1998/	1999*	
													FISHING YEAR*
	NOV -	1999	DEC -	1999	JAN -	2000	MAY 1999	-JAN 2000		TARGET TAC			LANDINGS
													1000 LBS
INE	8	2%	7	0%	28	2%	170	2%		,		,	
OTTER TRAWL	7	1%	7	0%	28	2%	141	2%					
GILLNET	0	0%	0	0%	0	0%	27	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	1	0%	0	0%	0	0%	2	0%					
	302	58%	421	19%	562	39%	2,447	34%					
OTTER TRAWL	295	56%		18%		30%	2,027	28%					
GILLNET	6				123		406						
HOOK	0		0		0		0						
OTHER GEARS	2	0%	1	0%	3	0%	15	0%					
ANK	133		,				- ,			6,008		4,729	
-													
-													
OTHER GEARS	21	4%	1	0%	0	0%	131	2%	2%		0%		
		.=						.=					
-							,			2,458		1,795	
•							,						
-													
	,						_						
OTHER GEARS	1	0%	3	0%	1	0%	19	0%	1%		2%		
	Eas	4000/	2474	4000/	4 455	4000/	7 272	4000/					
OTTED TD AVAIL			,		,		,						
_			, -				-,						
-													
			_				_						
	25	3 /0		0 /6	4	0 /6	107	2/0					
_	523		2 174		1 455		7 273						_
			, ,		,								9,544
													5,643
YEAR 1996/1997	315		711		609		3.797						6.267
, , , , , , , , , , , , , , , , , , ,	OTTER TRAWL GILLNET HOOK OTHER GEARS  OTTER TRAWL GILLNET HOOK OTHER GEARS  ANK OTTER TRAWL GILLNET HOOK OTHER GEARS  ANTIC OTTER TRAWL GILLNET HOOK OTHER GEARS  ALL AREAS (EAR 1999/2000 (EAR 1998/1999 (EAR 1997/1998	NE	NE	NE	NE	NE	NE	NE	1000 LBS   PERCENT   1000 LBS   PERCENT   1000 LBS   PERCENT   1700 LBS   1700 LBS   PERCENT   1700 LBS   1700 L	NOV - 1999   DEC - 1999   JAN - 2000   MAY 1993-JAN 2000   AS A % OF 1000 LBS   PERCENT   1000 LBS   1000 LBS	NOV - 1999	NOV - 1999   DEC - 1999   JAN - 2000   MAY 1999-JAN 2000   AS A % OF 1000 LBS   PERCENT   1	NOV - 1999   DEC - 1999   JAN - 2000   MAY 1999-JAN 2000   MAY 999-JAN 2000   MAY 999-J

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

#### Yellowtail Stock Areas:

Gulf of Maine: 464, 465, 511-513, 515.

Cape Cod: 514, 521.

Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.

Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

- 2. Landings in live weight.
- 3. State landings for Connecticut are estimated for the January 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 3.B - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

					STO	CK AREAS					G	EAR T	/PES			
		GULF (	OF			GEORGES BANK &	SNE, SNE SO	DUTH	OTTER						OTH	IER
	MAY 99-JAN 00	MAIN	E	CAPE COI	D	GEORGES BANK SOUTH	& MID ATLA	NTIC	TRAWL	-	GILLNET		но	ок	GEA	ARS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS %	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	17	3	21%	1	4%	13 76%	0	0%	6	35%	0	0%	0	0%	11	65%
GLOUCESTER,MA	901	32	4%	710	79%	158 18%	0	0%	781	87%	118	13%	0	0%	2	0%
BOSTON,MA	142	22	16%	73	52%	43 31%	3	2%	142	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	4,182	28	1%	786	19%	3,117 75%	251	6%	4,020	96%	41	1%	0	0%	121	3%
PT JUDITH, RI	450	0	0%	0	0%	62 14%	388	86%	449	100%	0	0%	0	0%	1	0%
MAINE	21	7	35%	1	3%	13 62%	0	0%	10	47%	0	0%	0	0%	11	53%
NEW HAMPSHIRE	90	74	82%	15	17%	0 0%	1	1%	67	74%	23	26%	0	0%	0	0%
MASSACHUSETTS	6,190	89	1%	2,431	39%	3,387 55%	283	5%	5,606	91%	452	7%	0	0%	132	2%
RHODE ISLAND	562	0	0%	0	0%	115 20%	447	80%	558	99%	0	0%	0	0%	3	1%
CONNECTICUT	76	0	0%	0	0%	35 46%	41	54%	67	88%	0	0%	0	0%	9	12%
NEW YORK	317	0	0%	0	0%	9 3%	308	97%	317	100%	0	0%	0	0%	0	0%
NEW JERSEY	16	0	0%	0	0%	8 49%	8	51%	6	35%	0	0%	0	0%	11	65%
OTHER NORTHEAST	1	0	0%	0	0%	0 68%	0	32%	0	0%	0	0%	0	0%	1	100%
TOTAL	7,273	170	2%	2,447	34%	3,567 49%	1,089	15%	6,631	91%	475	7%	0	0%	167	2%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail Stock Areas: Gulf of Maine: 464, 465, 511-513, 515.

Cape Cod: 514, 521.

Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.

Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

2. State landings for Connecticut are estimated for the May 1999 - January 2000 period.

3. Landings in live weight.

**TABLE 4.A - PRELIMINARY PRORATED WHITE HAKE LANDINGS** 

									TICUING VEADS
	NO		DE(				NAV 4000	14110000	FISHING YEAR
	NO\		DEC			V-00	MAY 1999		LANDINGS
	1000 LBS	PERCENT	1000 LBS						
SNE/NORTH	381	99%	268	97%	274	99%	4,632	99%	
OTTER TRAWL	342	89%	232	84%	199	72%	2,500	54%	
GILLNET	35	9%	36	13%	22	8%	1,892	41%	
HOOK	1	0%	0	0%	53	19%	188	4%	
OTHER GEAR	3	1%	0	0%	0	0%	53	1%	
MID-ATLANTIC	4	1%	7	3%	3	1%	27	1%	
OTTER TRAWL	3	1%	7	3%	3	1%	24	1%	
GILLNET	1	0%	0	0%	0	0%	3	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	385	100%	275	100%	277	100%	4,659	100%	
OTTER TRAWL	345	90%	239	87%	202	73%	2,523	54%	
GILLNET	36	9%	36	13%	22	8%	1,895	41%	
HOOK	1	0%	0	0%	53	19%	188	4%	
OTHER GEAR	3	1%	0	0%	0	0%	53	1%	
LANDINGS 1999/2000	385		275		277		4,659		-
LANDINGS 1998/1999	460		419		327		4,687		5,647
LANDINGS 1997/1998	450		316		146		4,242		4,935
LANDINGS 1996/1997	520		269		214		6,277		6,852

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

White Hake Stock Areas:

SNE&North:: 464-465, 500-562

Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. State landings for Connecticut are estimated for the January 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 4.B - PRELIMINARY WHITE HAKE LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

			STOCK	( AREAS					GEA	R TYPES			
		SNE/		MID-		OTTER						ОТН	ER
	MAY 99-JAN 00	MA		ATLANTIC		TRAWL		GILLNET		ноок		GEA	RS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	2,146	2,145	100%	0	0%	1,332	62%	621	29%	147	7%	46	2%
GLOUCESTER,MA	1,242	1,242	100%	0	0%	593	48%	609	49%	39	3%	0	0%
BOSTON,MA	202	197	97%	6	3%	202	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	99	97	98%	2	2%	99	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	20	20	100%	0	0%	20	100%	0	0%	0	0%	0	0%
MAINE	2,389	2,388	100%	0	0%	1,495	63%	700	29%	147	6%	46	2%
NEW HAMPSHIRE	583	582	100%	2	0%	26	5%	557	95%	0	0%	0	0%
MASSACHUSETTS	1,612	1,602	99%	10	1%	928	58%	636	39%	41	3%	7	0%
RHODE ISLAND	53	52	99%	1	1%	53	100%	0	0%	0	0%	0	0%
CONNECTICUT	9	4	39%	5	61%	9	100%	0	0%	0	0%	0	0%
NEW YORK	13	4	32%	9	68%	12	90%	1	10%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,659	4,632	99%	27	1%	2,523	54%	1,895	41%	188	4%	53	1%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock Areas: SNE/North: 464-465, 500-562.

Mid-Atlantic: 600-639.

- 2. State landings for Connecticut are estimated for the May 1999 January 2000 period.
- 3. Landings in live weight.
- 4. Gear Data are based on vessel trip reports.

TABLE 5.A - PRELIMINARY PRORATED AMERICAN PLAICE LANDINGS

									FISHING YEAR'
	NO	<b>/-99</b>	DEC	C-99	JAN	1-00	MAY 1999	-JAN 2000	LANDINGS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	<b>PERCENT</b>	1000 LBS
GULF OF MAINE/GB	482	100%	565	99%	364	100%	5,338	99%	
OTTER TRAWL	476	98%	565	99%	361	99%	5,221	97%	
GILLNET	0	0%	0	0%	0	0%	91	2%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEAR	6	1%	0	0%	3	1%	26	0%	
SNE / MID-ATLANTIC	1	0%	5	1%	1	0%	41	1%	
OTTER TRAWL	1	0%	5	1%	1	0%	39	1%	
GILLNET	0	0%	0	0%	0	0%	2	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	483	100%	570	100%	365	100%	5 270	100%	
_							5,379		
OTTER TRAWL	477	99%	570	100%	362	99%	5,260	98%	
GILLNET	0	0%	0	0%	0	0%	93	2%	
HOOK OTHER GEAR	0 6	0% 1%	0	0% 0%	3	0% 1%	0 26	0% 0%	
LANDINGS 1999/2000	483	1 70	570	0%	365	1 70		076	
LANDINGS 1999/2000 LANDINGS 1998/1999	463 396		491		303 378		5,379 6.406		- 7 707
			_				6,406 6,704		7,787
LANDINGS 1997/1998	430		378 405		260		6,721		8,504
LANDINGS 1996/1997	580		485		379		8,194		10,032

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

# American Plaice Stock Areas:

Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.

Southern New England/Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

- 2. Landings in live weight.
- 3. State landings for Connecticut are estimated for the January 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 5.B - PRELIMINARY AMERICAN PLAICE LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

			STOCK	AREAS					GEA	R TYPES			
		GOM/	'	SNE/		OTTER						OTH	IER
	MAY 99-JAN 00	GB		MID-ATLAN	TIC	TRAWL		GILLNET		ноок		GEA	ARS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,856	1,842	99%	14	1%	1,849	100%	1	0%	0	0%	6	0%
GLOUCESTER,MA	1,029	1,028	100%	1	0%	960	93%	57	5%	0	0%	12	1%
BOSTON,MA	451	437	97%	14	3%	447	99%	0	0%	0	0%	4	1%
NEW BEDFORD,MA	751	746	99%	5	1%	749	100%	0	0%	0	0%	2	0%
PT JUDITH, RI	64	63	99%	1	1%	64	100%	0	0%	0	0%	0	0%
MAINE	2,454	2,440	99%	14	1%	2,447	100%	1	0%	0	0%	7	0%
NEW HAMPSHIRE	154	154	100%	0	0%	142	92%	12	8%	0	0%	0	0%
MASSACHUSETTS	2,531	2,511	99%	20	1%	2,434	96%	78	3%	0	0%	19	1%
RHODE ISLAND	230	229	100%	1	0%	230	100%	0	0%	0	0%	0	0%
CONNECTICUT	8	4	57%	3	43%	7	98%	0	0%	0	0%	0	2%
NEW YORK	3	0	0%	3	100%	1	23%	2	77%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
				•									
TOTAL	5,379	5,338	99%	41	1%	5,260	98%	93	2%	0	0%	26	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock Ar Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562. SNE/MA: 533-534, 537-539, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May 1999 - January 2000 period.

3. Landings in live weight.

TABLE 6.A - PRELIMINARY PRORATED WINTER FLOUNDER LANDINGS

										ISHING YEAR
		NO	<b>/-</b> 99	DEC	C-99	JAN	N-00	MAY 1999	-JAN 2000	LANDINGS
		1000 LBS	<b>PERCENT</b>	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS
<b>GULF OF MAII</b>	NE	69	6%	92	11%	56	25%	631	7%	
	OTTER TRAWL	68	5%	88	10%	53	23%	507	6%	
	GILLNET	1	0%	4	0%	3	1%	122	1%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	1	0%	0	0%	0	0%	2	0%	
GEORGES BA	NK	307	24%	194	22%	27	12%	1,729	20%	
	OTTER TRAWL	286	23%	192	22%	27	12%	1,694	20%	
	GILLNET	0	0%	0	0%	0	0%	1	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	21	2%	2	0%	0	0%	34	0%	
SNE / MID-ATI	LANTIC	878	70%	578	67%	145	64%	6,255	73%	
	OTTER TRAWL	867	69%	574	66%	143	63%	6,114	71%	
	GILLNET	7	1%	2	0%	1	0%	106	1%	
	HOOK	0	0%	0	0%	0	0%	1	0%	
	OTHER GEAR	4	0%	2	0%	1	0%	33	0%	
ALL AREAS		1,254	100%	864	100%	228	100%	8,615	100%	
	OTTER TRAWL	1,221	97%	854	99%	223	98%	8,315	97%	
	GILLNET	, 8	1%	5	1%	4		230	3%	
	HOOK	0	0%	0	0%	0	0%	2	0%	
	OTHER GEAR	25	2%	5	1%	1	1%	68		
LANDINGS	1999/2000	1,254		864		228		8,615		-
LANDINGS	1998/1999	913		881		176		9,802		11,246
LANDINGS	1997/1998	911		877		176		10,453		11,891
LANDINGS	1996/1997	926		968		283		9,500		10,668

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

#### Winter Flounder Stock Areas:

Gulf of Maine: 464-465, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

- 3. State landings for Connecticut are estimated for the January 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 6.B - PRELIMINARY WINTER FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

				STOCK	AREAS	5					GEA	R TYPES			
		GULF O	F	GEORGES	3	SNE/MID-		OTTER						OTH	IER
	MAY 99-JAN 00	MAINE		BANK		ATLANTIC		TRAWL		GILLNET	•	ноок		GEA	ARS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	6	1	19%	5	76%	0	6%	6	95%	0	0%	0	0%	0	5%
GLOUCESTER,MA	278	135	48%	66	24%	78	28%	176	63%	101	36%	0	0%	1	0%
BOSTON,MA	509	42	8%	23	5%	443	87%	509	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	5,208	95	2%	1,562	30%	3,551	68%	5,161	99%	0	0%	0	0%	47	1%
PT JUDITH, RI	734	0	0%	12	2%	722	98%	728	99%	0	0%	0	0%	6	1%
MAINE	7	2	24%	5	70%	0	5%	6	95%	0	0%	0	0%	0	4%
NEW HAMPSHIRE	14	13	98%	0	0%	0	2%	9	65%	5	35%	0	0%	0	0%
MASSACHUSETTS	6,527	615	9%	1,685	26%	4,226	65%	6,251	96%	224	3%	2	0%	50	1%
RHODE ISLAND	873	0	0%	21	2%	852	98%	865	99%	1	0%	0	0%	7	1%
CONNECTICUT	319	0	0%	16	5%	303	95%	318	100%	0	0%	0	0%	2	0%
NEW YORK	436	0	0%	2	0%	434	100%	434	100%	0	0%	0	0%	1	0%
NEW JERSEY	439	0	0%	1	0%	437	100%	431	98%	0	0%	0	0%	8	2%
OTHER NORTHEAST	1	0	0%	0	0%	1	100%	0	50%	0	12%	0	0%	0	38%
TOTAL	8,615	631	7%	1,729	20%	6,255	73%	8,315	97%	230	3%	2	0%	68	1%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock Ar(Gulf of Maine: 464, 465, 511-515

Georges Bank: 522, 525, 542-543, 551-552 & 561-562.

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. State landings for Connecticut are estimated for the May 1999 January 2000 period.
- 3. Landings in live weight.
- 4. Gear Data are based on vessel trip reports.

**TABLE 7.A - PRELIMINARY PRORATED WITCH FLOUNDER LANDINGS** 

									FISHING YEAR'
	NO\	/-99	DEC	<b>-99</b>	JAN	I-00	MAY 1999	-JAN 2000	LANDINGS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS
GOM/GB	272	97%	335	97%	288	98%	3,362	96%	
OTTER TRAWL	267	95%	335	97%	287	97%	3,280	94%	
GILLNET	2	1%	0	0%	0	0%	63	2%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEAR	3	1%	0	0%	2	1%	19	1%	
SNE / MID-ATLANTIC	9	3%	9	3%	6	2%	124	4%	
OTTER TRAWL	9	3%	9	3%	6	2%	123	4%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEAR	0	0%	0	0%	0	0%	1	0%	
ALL AREAS	281	100%	344	100%	294	100%	3,486	100%	
OTTER TRAWL	276	98%	344	100%	292	99%	3,403	98%	
GILLNET	2	1%	0	0%	0	0%	63	2%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEAR	3	1%	0	0%	2	1%	20	1%	
LANDINGS 1999/2000	281		344		294		3,486		-
LANDINGS 1998/1999	164		214		278		2,931		4,044
LANDINGS 1997/1998	186		259		199		2,908		4,144
LANDINGS 1996/1997	275		324		243		3,564		4,524

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

# Witch Flounder Stock Areas:

GOM/GB: 464-465, 511-526, 551-552, 561-562. SNE / Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

- 2. Landings in live weight.
- 3. State landings for Connecticut are estimated for the January 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 7.B - PRELIMINARY WITCH FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

			STOCK	( AREAS					GEA	R TYPES			
		GOM/		SNE/		OTTER						ОТН	ER
	MAY 99-JAN 00	GB		MA		TRAWL		GILLNET		ноок		GEA	RS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,026	1,018	99%	8	1%	1,022	100%	0	0%	0	0%	4	0%
GLOUCESTER,MA	622	622	100%	1	0%	585	94%	33	5%	0	0%	4	1%
BOSTON,MA	326	319	98%	7	2%	323	99%	0	0%	0	0%	4	1%
NEW BEDFORD,MA	523	512	98%	11	2%	520	99%	0	0%	0	0%	4	1%
PT JUDITH, RI	104	32	31%	72	69%	104	100%	0	0%	0	0%	0	0%
MAINE	1,480	1,472	99%	9	1%	1,476	100%	0	0%	0	0%	5	0%
NEW HAMPSHIRE	37	37	100%	0	0%	32	87%	5	13%	0	0%	0	0%
MASSACHUSETTS	1,713	1,694	99%	19	1%	1,643	96%	58	3%	0	0%	13	1%
RHODE ISLAND	236	154	65%	83	35%	236	100%	0	0%	0	0%	0	0%
CONNECTICUT	4	1	24%	3	76%	3	79%	0	0%	0	0%	1	21%
NEW YORK	7	4	52%	3	48%	7	100%	0	0%	0	0%	0	0%
NEW JERSEY	7	1	15%	6	85%	6	79%	0	0%	0	0%	2	21%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,486	3,362	96%	124	4%	3,403	98%	63	2%	0	0%	20	1%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witich Flounder stock ArtGulf of Maine/GB: 464-465, 511-526, 551-552, 561-562. SNE/MA: 533-534, 537-539, 541-543, 611-639.

- 2. State landings for Connecticut are estimated for the May 1999 January 2000 period.
- 3. Landings in live weight.
- 4. Gear Data are based on vessel trip reports.

TABLE 8.A - PRELIMINARY PRORATED WINDOWPANE FLOUNDER LANDINGS

										FISHING YEAR'
		NO\	/-99	DEC	C-99	JAN	1-00	MAY 1999	-JAN 2000	LANDINGS
		1000 LBS	PERCENT	1000 LBS						
GOM/GB		35	90%	7	24%	3	15%	72	40%	
	OTTER TRAWL	35	90%	6	23%	3	14%	71	40%	
	GILLNET	0	0%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	1%	0	1%	1	1%	
SNE/MA		4	10%	20	76%	18	85%	107	60%	
	OTTER TRAWL	4	10%	20	76%	18	85%	106	60%	
	GILLNET	0	0%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS		38	100%	27	100%	21	100%	179	100%	
	OTTER TRAWL	38	100%	26	99%	21	99%	177	99%	
	GILLNET	0	0%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	1%	0	1%	1	1%	
LANDINGS	1999/2000	38		27		21		179		-
LANDINGS	1998/1999	37		59		25		438		610
LANDINGS	1997/1998	318		56		34		681		1,379
LANDINGS	1996/1997	308		145		39		1,427		1,898

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

# Windowpane Flounder Stock Areas:

Gulf of Maine/Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562. Southern New England/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

- 2. Landings in live weight.
- 3. State landings for Connecticut are estimated for the January 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 8.B - PRELIMINARY WINDOWPANE FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

			STOCK	( AREAS					GEA	R TYPES			
		GOM/ SNE/			OTTER						ОТН	ER	
	MAY 99-JAN 00	GB		MA		TRAWL		GILLNET		ноок		GEA	RS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
GLOUCESTER,MA	4	4	100%	0	0%	3	96%	0	2%	0	0%	0	2%
BOSTON,MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	60	57	94%	4	6%	59	98%	0	0%	0	0%	1	2%
PT JUDITH, RI	15	0	0%	15	100%	15	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	69	64	93%	5	7%	67	98%	0	0%	0	0%	1	2%
RHODE ISLAND	20	2	12%	17	88%	20	100%	0	0%	0	0%	0	0%
CONNECTICUT	3	1	25%	2	75%	3	100%	0	0%	0	0%	0	0%
NEW YORK	22	4	17%	19	83%	22	100%	0	0%	0	0%	0	0%
NEW JERSEY	64	0	0%	64	100%	64	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	179	72	40%	107	60%	177	99%	0	0%	0	0%	1	1%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stGulf of Maine/GB: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562. SNE/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

- 2. State landings for Connecticut are estimated for the May 1999 January 2000 period.
- 3. Landings in live weight.
- 4. Gear Data are based on vessel trip reports.

TABLE 9 - PRELIMINARY MULTISPECIES LANDINGS \*\*

										1999/2		1998/1		
										MAY 99-JAN 00		MAY 98-JAN 99		FISHING YEAR'
	FISHING	NOV -			- 1999		2000		-JAN 2000		TARGET TAC		TARGET TAC	
	YEAR*		PERCENT		PERCENT		PERCENT		PERCENT	TARGET TAC	(1000 LBS)	TARGET TAC	(1000 LBS)	1000 LBS
Atlantic Pollock	1999/2000	902	27%	922	30%	752	38%	6,558	22%	12%				
	1998/1999	843	29%	1,436	40%	1,149	48%	8,978	27%			16%		
	1997/1998	842	27%	1,049	35%	972	54%	7,956	24%					
	1996/1997	570	18%	722	25%	532	31%	5,590	16%					
Redfish	1999/2000	52	2%	59	2%	55	3%	540	2%	1%				
	1998/1999	71	2%	58	2%	53	2%	553	2%			1%		
	1997/1998	24	1%	36	1%	29	2%	351	1%					
	1996/1997	38	1%	33	1%	35	2%	478	1%					
White Hake	1999/2000	385	11%	275	9%	277	14%	4,659	16%	8%				
	1998/1999	460	16%	419	12%	327	14%	4,687	14%			8%		
	1997/1998	450	14%	316	11%	146	8%	4,242	13%					
	1996/1997	520	16%	269	9%	214	12%	6,277	18%					
			10,0		0,1			-,	10,0					
American Plaice	1999/2000	483	14%	570	19%	365	18%	5,379	18%	10%				
	1998/1999	396	14%	491	14%	378	16%	6,406	19%	,,,		11%		
	1997/1998	430	14%	378	13%	260	14%	6,721	20%			,,		
	1996/1997	580	18%	485	16%	379	22%	8,194	23%					
	1000, 1007		1070	100	1070	0.0	2270	0,101	2070					
Winter Flounder	1999/2000	1.254	37%	864	28%	228	11%	8,615	29%	15%				
vinter i lourider	1998/1999	913	32%	881	25%	176	7%	9,802	29%	1070		17%		
	1997/1998	911	29%	877	30%	176	10%	10,453	31%			1770		
	1996/1997	926	29%	968	33%	283	16%	9,500	27%					
	1330/1337	320	2370	300	3370	200	1070	3,300	21 /0					
Witch Flounder	1999/2000	281	8%	344	11%	294	15%	3,486	12%	6%				
Vitori i louridei	1998/1999	164	6%	214	6%	278	12%	2,931	9%	070		5%		
	1997/1998	186	6%	259	9%	199	11%	2,908	9%			370		
	1996/1997	275	9%	324	11%	243	14%	3,564	10%					
	1990/1997	213	3 /6	324	1170	243	1470	3,304	1076					
Windowpane Flounder	1999/2000	38	1%	27	1%	21	1%	179	1%	0%				
Willidowpane Flourider	1998/1999	37	1%	59	2%	25	1%	438	1%	0 /0		1%		
	1996/1999	318	10%	56	2%	34	2%	681	2%			170		
	1997/1998	308	10%	145	5%	39	2%	1,427	4%					
	1990/1997	300	10%	140	3%	39	270	1,4∠1	470					
All 7 Species Total	1000/2022	2 206	1000/	3 063	1000/	4 002	1000/	20.445	1000/	E20/	EC 200			
All 7 Species - Total	1999/2000	3,396	100%	3,062	<b>100%</b> 100%	1,993	100%	29,415	100%	52%	56,200	C00/	FC 200	-
	1998/1999	2,883	100%	3,558		2,386	100%	33,796	100%			60%	56,200	42,218
	1997/1998	3,162	100%	2,970	100%	1,816	100%	33,312	100%					42,840
	1996/1997	3,217	100%	2,946	100%	1,725	100%	35,029	100%					42,093

<sup>1.</sup> Landings in live weight.

<sup>2.</sup> State landings for Connecticut are estimated for the January 1999 - January 2000 period.

<sup>3.</sup> Gear data are based on vessel trip reports.

<sup>\*</sup> Fishing Year is May 1 through April 30.

<sup>\*\*</sup> For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

### TABLE 9.A - PRELIMINARY SILVER HAKE LANDINGS BY STOCK AREA

									1999/2	2000*	
									MAY 99-JAN 00		FISHING YEAR*
	NOV -	1999	DEC -	1999	JAN -	2000	MAY 1999	-JAN 2000	AS A % OF	TARGET TAC	LANDINGS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	TARGET TAC	(1000 LBS)	1000 LBS
GULF OF MAINE/GB-NORTH	1,091	56%	170	11%	116	5%	8,855	41%			
OTTER TRAWL	1,080	55%	167	11%	115	5%	- /	40%			
GILLNET	11	1%	3	0%	0	0%		0%			
HOOK	0	0%	0	0%	0	0%		0%			
OTHER GEARS	0	0%	0	0%	0	0%	53	0%			
GB-SOUTH/MID-ATLANTIC	870	44%	1,385	89%	2,010	95%	12,793	59%			
OTTER TRAWL	869	44%	1,383	89%	2,009	94%		59%			
GILLNET	0	0%	2	0%	0	0%	9	0%			
HOOK	0	0%	0	0%	0	0%		0%			
OTHER GEARS	1	0%	0	0%	1	0%	25	0%			
	4 004	4000/	4	4000/	0.405	4000/	04.040	4000/			
ALL AREAS	1,961	100%	1,555	100%	2,125	100%	21,649	100%			
OTTER TRAWL	1,950	99%	1,549	100%	2,124	100%		99%			
GILLNET	11	1%	4	0%	0	0%		0%			
HOOK	0	0%	0	0%	0	0%		0%			
OTHER GEARS	1	0%	1	0%	1	0%	78	0%			
LANDINGS - ALL AREAS	1 061		1 555		2 425		24 640				
FISHING YEAR 1999/2000 FISHING YEAR 1998/1999	1,961 2,574		1,555 1,920		2,125 2,292		21,649 24,489				34,007
FISHING YEAR 1997/1998	2,374		2,245		2,292		25,355				33,763
FISHING YEAR 1997/1998 FISHING YEAR 1996/1997	2,261		2,245 2,484		2,340 2,736		25,355 27,163				35,763 35,771
FISHING 1EAR 1990/1997	2,030		4,404		2,130		21,103				33,771

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

#### Cod Stock Areas:

Gulf of Maine/GB North: 464-465, 511-515, 521-522 & 561 Georges Bank South/Mid-Atlantic: 525-552, 611-639.

- 2. Landings in live weight.
- 3. State landings for Connecticut are estimated for the January 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 9.B - PRELIMINARY SILVER HAKE LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

			STOCK	( AREAS					GEA	R TYPES			
		GOM/		GB SOUTH	-1/	OTTER						ОТН	ER
	MAY 99-JAN 00	GB NOR	TH	MA		TRAWL		GILLNET		ноок		GEA	RS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	136	136	100%	0	0%	125	92%	1	0%	10	7%	0	0%
GLOUCESTER,MA	2,165	2,165	100%	0	0%	2,099	97%	66	3%	0	0%	0	0%
BOSTON,MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	122	5	4%	117	96%	120	99%	2	1%	0	0%	0	0%
PT JUDITH, RI	6,549	1,752	27%	4,797	73%	6,549	100%	0	0%	0	0%	0	0%
MAINE	138	138	100%	0	0%	128	92%	1	0%	10	7%	0	0%
NEW HAMPSHIRE	232	232	100%	0	0%	220	95%	11	5%	0	0%	1	0%
MASSACHUSETTS	4,111	3,927	96%	184	4%	3,989	97%	71	2%	0	0%	52	1%
RHODE ISLAND	6,840	1,762	26%	5,078	74%	6,743	99%	2	0%	73	1%	23	0%
CONNECTICUT	4,621	1,798	39%	2,822	61%	4,621	100%	0	0%	0	0%	0	0%
NEW YORK	5,072	996	20%	4,076	80%	5,063	100%	5	0%	3	0%	2	0%
NEW JERSEY	634	2	0%	633	100%	633	100%	0	0%	0	0%	1	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	21,649	8,855	41%	12,793	59%	21,397	99%	89	0%	85	0%	78	0%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine/GB North: 464-465, 511-515, 521-522, 561.

GB South/Mid-Atlantic: 525-552, 611-639.

2. State landings for Connecticut are estimated for the May 1999 - January 2000 period.

3. Landings in live weight.

TABLE 10.A - PRELIMINARY MONKFISH LANDINGS BY MANAGEMENT AREA

									1999/2	000*	
									MAY 99-JAN 00		FISHING YEAR
	NOV	- 1999	DEC	- 1999	JAN	- 2000	MAY 1999	-JAN 2000	AS A % OF	TARGET TAC	LANDINGS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	TARGET TAC	(1000 LBS)	1000 LBS
NORTHERN AREA	1,673	35%	1,774	42%	1,426	47%	15,742	40%	126%	12,507	
OTTER TRAWL	1,154	24%	1,446	35%	1,340	44%	11,628	30%	93%		
GILLNET	356	7%	249	6%	47	2%	3,064	8%	25%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		
OTHER GEARS	162	3%	79	2%	39	1%	1,048	3%	8%		
SOUTHERN AREA	3,099	65%	2,406	58%	1,636	53%	23,187	60%	175%	13,280	
OTTER TRAWL	1,195	25%	839	20%	439	14%	9,272	24%	70%		
GILLNET	1,568	33%	1,389	33%	1,115	36%	10,584	27%	80%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		
OTHER GEARS	336	7%	178	4%	82	3%	3,330	9%	25%		
411 48540	4 770	4000/	4.400	4000/	0.000	4000/	00.000	4000/	4540/	05 707	
ALL AREAS	4,772	100%	4,180	100%	3,062	100%	38,929	100%	151%	25,787	
OTTER TRAWL	2,349	49%	2,286	55%	1,779	58%	20,900	54%	81%		
GILLNET	1,924	40%	1,638	39%	1,163	38%	13,649	35%	53%		
HOOK	0	0%	0	0%	0	0%	1 1 2 7 2	0%	0%		
OTHER GEARS	498	10%	256	6%	121	4%	4,378	11%	17%		
LANDINGS - ALL AREAS	4 ===0		4.400								
FISHING YEAR 1999/2000	4,772		4,180		3,062		38,929				-
FISHING YEAR 1998/1999	6,367		5,208		5,208		45,714				59,326
FISHING YEAR 1997/1998	- ,		6,236		6,236		50,717				62,782
FISHING YEAR 1996/1997	7,232		5,621		5,621		49,323				61,673

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

#### Monkfish Management Areas:

Northern Area: 464, 465, 511-515,521-522,561-562.

Southern Area: 525-526,537-539, 533-534, 541-543, 611-639.

- 2. Landings in live weight.
- 3. State landings for Connecticut are estimated for the May 1999 January 2000 period.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

TABLE 10.B - PRELIMINARY MONKFISH LANDINGS BY MAJOR PORTS AND STATES, MAY 1999-JANUARY 2000

		IAM	NAGEN	IENT AREAS					GEA	R TYPES			•
		NORTHE	RN	SOUTHER	N	OTTER						OTH	IER
	MAY 99-JAN 00	AREA		AREA		TRAWL		GILLNET		ноок		GEA	\RS
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	3,886	3,852	99%	34	1%	3,697	95%	153	4%	0	0%	35	1%
GLOUCESTER,MA	2,542	2,532	100%	10	0%	1,581	62%	954	38%	0	0%	7	0%
BOSTON,MA	1,674	1,242	74%	432	26%	1,669	100%	0	0%	0	0%	5	0%
NEW BEDFORD,MA	11,196	3,898	35%	7,297	65%	7,776	69%	188	2%	0	0%	3,231	29%
PT JUDITH, RI	3,177	160	5%	3,017	95%	2,348	74%	818	26%	0	0%	11	0%
MAINE	5,487	5,436	99%	52	1%	5,032	92%	414	8%	0	0%	41	1%
NEW HAMPSHIRE	1,327	1,270	96%	56	4%	63	5%	1,246	94%	0	0%	18	1%
MASSACHUSETTS	16,953	8,277	49%	8,676	51%	11,247	66%	2,426	14%	1	0%	3,279	19%
RHODE ISLAND	6,194	696	11%	5,498	89%	3,876	63%	2,275	37%	0	0%	43	1%
CONNECTICUT	470	6	1%	464	99%	238	51%	85	18%	0	0%	147	31%
NEW YORK	1,053	7	1%	1,046	99%	230	22%	822	78%	0	0%	2	0%
NEW JERSEY	5,171	8	0%	5,163	100%	113	2%	4,657	90%	0	0%	401	8%
OTHER NORTHEAST	2,274	42	2%	2,232	98%	103	5%	1,725	76%	0	0%	447	20%
TOTAL	38,929	15,742	40%	23,187	60%	20.900	54%	13,649	35%	1	0%	4.378	11%

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

#### Monkfish Management Areas:

Northern Area: 464-465, 511-515, 521-522, 561-562.

Southern Area: 525-526, 537-539, 533-534, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May 1999 - January 2000 period.

3. Landings in live weight.

TABLE 11.A - PRELIMINARY SEA SCALLOP LANDINGS BY STOCK AREA

	NOV-	1999	DEC-	· 1999	JAN-	2000	MAR 99	-JAN 00	FISHING YEA LANDINGS
	1000 LBS	PERCENT	1000 LBS						
GULF OF MAINE	43	3%	311	26%	85	19%	653	3%	
OTTER TRAWL	0	0%	5	0%	1	0%	26	0%	
DREDGE	42	3%	306	26%	80	18%	620	3%	
OTHER GEAR	0	0%	1	0%	4	1%	7	0%	
SOUTH CHANNEL	209	15%	266	22%	149	33%	3.402	16%	
OTTER TRAWL	0	0%	0		0	0%	8	0%	
DREDGE	209	15%	266	22%	116	26%	3,349	16%	
OTHER GEAR	0	0%	0	0%	33	7%	44	0%	
GEORGES BANK NORTH	679	49%	170	14%	53	12%	6,348	30%	
OTTER TRAWL	0/3	0%	2	0%	1	0%	24	0%	
DREDGE	679	49%	168	14%	52	12%	6,235	29%	
OTHER GEAR	0/9	0%	0		0	0%	89	0%	
OTTIER GEAR	0	0 /8	0	0 76	0	0 /0	09	0 /0	
GEORGES BANK SOUTH	65	5%	185	16%	15	3%	1,160	5%	
OTTER TRAWL	0	0%	0	0%	0	0%	2	0%	
DREDGE	65	5%	185	16%	15	3%	1,136	5%	
OTHER GEAR	0	0%	0	0%	0	0%	22	0%	
SOUTHERN NEW ENGLAND	13	1%	1	0%	0	0%	205	1%	
OTTER TRAWL	13	1%	0	0%	0	0%	129	1%	
DREDGE	0	0%	1	0%	0	0%	75	0%	
OTHER GEAR	0	0%	0		0	0%	1	0%	
NEW YORK BIGHT	127	9%	104	9%	111	25%	3,988	19%	
OTTER TRAWL	2	0%	2		0	0%	42	0%	
DREDGE	125	9%	102	9%	90	20%	3,925	18%	
OTHER GEAR	0	0%	0		21	5%	21	0%	
DELMARVA	264	19%	154	13%	31	7%	5,479	26%	
OTTER TRAWL	194	14%	30	2%	1	0%	1,993	9%	
DREDGE	69	5%	124	10%	30	7%	3,449	16%	1
OTHER GEAR	0	0%	0	0%	0	0%	36	0%	
VIRGINIA/NORTH CAROLINA	0	0%	0	0%	0	0%	184	1%	
OTTER TRAWL	0	0%	0		0	0%	0	0%	
DREDGE	0	0%	0	0%	0	0%	184	1%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	1,399	100%	1,191	100%	444	100%	21.418	100%	
OTTER TRAWL	210	15%	38	3%	4	1%	2,226	10%	
DREDGE	1,189	85%	1,152	97%	383		18,972	89%	
OTHER GEAR	0		1	0%	58		220	1%	
LANDINGS - ALL AREAS	ŭ	2,70		1	30			. ,,,	
FISHING YEAR 1999/2000	1,399		1,191		444		21,418		-
FISHING YEAR 1998/1999	811		731	1	480		11,371		12,280
FISHING YEAR 1997/1998	716		793	1	554		13,067		13,892
FISHING YEAR 1996/1997	1,261		895		476		16,852		17,656

<sup>1.</sup> The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Sea Scallop Stock Areas:
Gulf of Maine: 511-515.
South Channel: 521, 522, 526.
Georges Bank North: 561, 562.
Georges Bank South: 525.
Southern New England: 537-539.
New York Bight: 611-616.
Delmarva: 621-623, 625-627.
Virginia/North Carolina: 631-638.

- 2. Landings in meat weight.
- 3. State landings for Connecticut are estimated for January 2000.
- 4. Gear data are based on vessel trip reports.
- \* Fishing Year is March 1 through February 28.

07/31/2000 02:43 PM 9900SC.WK4

TABLE 11.B - PRELIMINARY SEA SCALLOP LANDINGS BY MAJOR PORTS AND STATES, MARCH 1999 - JANUARY 2000

									STOC	K AREAS							
		GULF	OF			GEORGES B	ANK	GEORGES E	BANK	SOUTH	HERN	NEW '	YORK			VIRO	SINIA
	MAR 99 - JAN 00	MAIN	NE	SOUTH CHA	ANNEL	NORTH		SOUTH		NEW EN	GLAND	BIG	HT	DELM	ARVA	& NORTH	CAROLINA
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	11,747	146	1%	3,241	28%	5,337	45%	1,070	9%	145	1%	1,598	14%	190	2%	20	0%
CAPE MAY, NJ	1,864	0	0%	0	0%	91	5%	9	0%	0	0%	474	25%	1,288	69%	3	0%
NORFOLK, VA	5,343	0	0%	11	0%	182	3%	10	0%	1	0%	1,041	19%	3,937	74%	161	3%
MAINE	552	416	75%	42	8%	94	17%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	84	36	42%	5	6%	43	52%	0	0%		0%	0	0%		0%		0%
MASSACHUSETTS	11,871	201	2%	3,273	28%	5,372	45%	1,070	9%	147	1%	1,598	13%	190	2%	20	0%
RHODE ISLAND	132	0	0%	2	2%	60	45%	0	0%	31	23%	38	29%	2	1%	0	0%
CONNECTICUT	713	0	0%	58	8%	229	32%	62	9%	25	4%	338	47%	0	0%	0	0%
NEW JERSEY	2,691	0	0%	10	0%	367	14%	19	1%	1	0%	959	36%	1,332	49%	3	0%
VIRGINIA	5,347	0	0%	11	0%	182	3%	10	0%	1	0%	1,041	19%	3,940	74%	161	3%
OTHER NORTHEAST*	28	0	0%	0	0%	0	0%	0	0%	0	1%	13	46%	14	51%	0	1%
TOTAL	21,418	653	3%	3,402	16%	6,348	30%	1,160	5%	205	1%	3,988	19%	5,479	26%	184	1%

				GEAR			
						OTHER	
	MAR 99 - JAN 00	OTTER T	RAWL	DREDG	Ε	GEARS	
PORT/STATE	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	11,747	118	1%	11,454	98%	175	1%
CAPE MAY, NJ	1,864	714	38%	1,126	60%	24	1%
NORFOLK, VA	5,343	1,297	24%	4,033	75%	12	0%
MAINE	552	2	0%	546	99%	5	1%
NEW HAMPSHIRE	84	24	28%	61	72%	0	0%
MASSACHUSETTS	11,871	119	1%	11,574	98%	178	1%
RHODE ISLAND	132	31	23%	101	76%	1	1%
CONNECTICUT	713	15	2%	697	98%	1	0%
NEW JERSEY	2,691	714	27%	1,953	73%	24	1%
VIRGINIA	5,347	1,301	24%	4,034	75%	12	0%
OTHER NORTHEAST*	28	21	76%	7	24%	0	0%
TOTAL	21,418	2,226	10%	18,972	89%	220	1%

The three digit statistical areas defined below are for statistical and management purposes and may not be consis
with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511- 515.

South Channel: 521, 522, 526. Georges Bank North: 561, 562. Georges Bank South: 525. Southern New England: 537-539. New York Bight: 611-616 Delmarva: 621-623, 625-627.

Virginia/North Carolina: 631-638.

- 2. State landings for Connecticut are estimated for January 2000.
- 3. Landings in meat weight.
- 4. Gear data are based on vessel trip reports.

\*Includes North Carolina